


The Bufftech® Advantage

Long-lasting beauty, superior performance and the best protection you can get – that's the Bufftech Advantage. Bufftech fence comes in an array of sophisticated styles and complementary colors along with premium features to ensure it will outlast and outperform the competition. Bufftech also features a superior warranty including SolarGuard® fade protection.

Privacy (Extruded)

Brookline Smooth	
Galveston Smooth	7
Chesterfield Smooth	8
Semi-Private	
Breezewood Smooth	12
Imperial Smooth	13
Contemporary	
Baron Smooth	14
Princeton Smooth	15
Countess Smooth	16
Classic	
Manchester Smooth	17
Traditional	
Danbury Smooth	18
Rothbury Smooth	19
Cape Cod Smooth	20
Post & Rail	
2, 3, 4 Rail and Crossbuck Smooth	21
Specifications	22
Accessories	23
Extruded Gates	24





The Bufftech Advantage starts with details.

Precision Routing assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets provide impact resistance and reduces movement.

Internal Reinforcement limits sagging and maintains a strong and sturdy performance.

Low Gloss finish offers easy maintenance while reducing reflections.

Smooth Colors



Industry-Leading Warranty



Barrette Outdoor Living is so confident in the quality of our fencing products that we offer an industry-leading

Transferable Limited Lifetime Warranty

— providing you with peace of mind that
your fence will last a lifetime.

Our Bufftech product line also includes PerformancePlus™ protection which includes warranted repair and replacements costs — including labor — for five years after installation.

Did you know that **Bufftech fence is**actually less expensive than wood
fence? Although the initial investment
may cost you more, you don't need to
worry about recurring maintenance
and repair costs.

Lifetime



Cost includes fence price averaged over 20 years plus maintenance and repair costs. Cost is expressed as a percentage.

Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.



Bufftech fence is engineered for use in high wind and hurricane conditions, as

approved by Miami-Dade County NOA #23-0314.05*. Recognized as the most stringent standards in the country, Miami-Dade test protocols include dynamic wind load testing up to 115 mph.



The Bufftech line also meets requirements of the ASTM and includes styles that comply with local

codes for swimming pool applications. Check with your local building code official as local codes may vary.



Bufftech panels block 98% of direct sound, with an (STC) sound transmission class of 21, to create quiet spaces.

*Miami-Dade County-approved NOA #23-0314.05, for exceptional performance in high wind conditions. To comply with WindZone Performance, additional items are needed for installation. Please reference our product catalog. Expires 3/13/2029.

Peace of Mind

Barrette Outdoor Living stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. PerformancePlus™, an exclusive Barrette Outdoor Living benefit, covers warranted repair and replacement costs—including labor, for five years after installation.



Barrette Outdoor Living also guarantees the performance of Bufftech's products with our

proprietary SolarGuard® fade protection, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.



Barrette Outdoor Living is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability

of our operations and products. Barrette Outdoor Living conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic Sustainability).



A company you can trust.
For more than 100 years,
homeowners and building
professionals alike have relied
on Barrette Outdoor Living as a

trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior fence line, proudly made in the U.S.A.

Brookline Smooth



White

Almond

Natural Clay

Brookline Smooth

Brookline's modern style combines the luxury of complete privacy with durability and low-maintenance.







Heights: 4', 5' and 6'

Picket Style: %" x 7" Tongue-and-Groove

Post Centers: 6'

Steel Reinforced Bottom Rail

Steel Reinforced Top Rail for Natural Clay

Cap Styles (shown in White)









Flat External

New England

Ball Cap not available in Natural Clay.

Galveston Smooth



Galveston Smooth

Heights: 7' and 8'

Picket Style: %" x 7" Tongue-and-Groove

Steel Reinforced Top, Mid & Bottom Rail

Cap Styles (shown in White)




Galveston Smooth Finish with Lattice and Victorian (not shown)

Heights: 6' 8" plus 1' 4" Accent

Picket Style: %" x 7" Tongue-and-Groove Steel Reinforced Top, Mid and Bottom Rail

Note: Posts require reinforcement.

Chesterfield Smooth



Chesterfield Smooth



Heights: 4', 5' and 6'

Picket Style: $\%'' \times 7''$ Tongue-and-Groove


Steel Reinforced Bottom Rail

Steel Reinforced Top Rail for Natural Clay

4' not available in Natural Clay. Gray only available for 6' height.



Cap Styles (shown in White)



Gothic Cap not available in Gray. Ball Cap not available in Natural Clay and Gray. Flat Internal Cap 4' height only.

Chesterfield Smooth Finish Decorative Accents and Styles

Customers look to Barrette Outdoor Living® for the latest innovations in style and performance. We're bringing you privacy in a different view with Chesterfield's expanded selection of Smooth Finish Decorative Accents and Styles.

Add a unique, decorative style with Chesterfield Swoop and S Curve to make your fence stand out among the rest.



with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'

Picket Style: %" x 7" Tongue-and-Groove

Steel Reinforced Bottom Rail





with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'

Picket Style: %" x 7" Tongue-and-Groove

Steel Reinforced Bottom Rail



For homeowners who like their privacy with a touch of style, Chesterfield Smooth offers four great choices.



* Freedom to mix and match post and picket colors.

with Lattice Accent*

Heights: 4' 8" plus 1' 4" Accent & 3' 8"

plus 1' 4" Accent **Picket Style:** %" x 7" Tongue-and-Groove

Steel Reinforced Bottom Rail





with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent

Picket Style: 1/8" x 7" Tongue-and-Groove

and %" x 11/2"

Steel Reinforced Bottom Rail





with Huntington Accent

Heights: 4' 8" plus 1' 4" Accent

Picket Style: %" x 7" Tongue-and-Groove

and 1½" Square

Steel Reinforced Bottom Rail





with Westminster Accent


Heights: 4' 8" plus 1' 4" Accent

Picket Style: 1/8" x 7" Tongue-and-Groove

Steel Reinforced Bottom Rail



Breezewood Smooth



White Almond Natural Clay

Breezewood Smooth

Thru-picket "good neighbor", modern design is equally attractive on both sides.



Heights: 4', 5' and 6' Picket Style: %" \times 3" Picket Spacing: $^{21}/_{32}$ "

Steel Reinforced Top and Bottom Rail

Cap Styles (shown in White)










Gothic Flat External New
Ball Cap not available in Natural Clay.

Imperial Smooth



Imperial Smooth

Almond

Clay



White



Heights: 4', 5' and 6' (5' and 6' include midrail)

Picket Style: %" x 3" Picket Spacing: 7/16"

Steel Reinforced Bottom Rail

Steel Reinforced Top Rail for Natural Clay

Cap Styles (shown in White)



Baron Smooth



Baron Smooth



Heights: 4', 5' and 6' (5' and 6' include midrail)

Picket Style: $\%'' \times 3''$ Picket Spacing: $2^{15}/_{16}''$

Steel Reinforced Bottom Rail

Steel Reinforced Top Rail for Natural Clay

Cap Styles (shown in White)





Flat Internal



Flat External



New England



E

Gothic Cap not available in Natural Clay for 4' height. Ball Cap not available in Natural Clay.

Princeton Smooth



Princeton Smooth

Heights: 4', 5' and 6' (5' and 6' include midrail)

Picket Style: 1/8" x 11/2" Picket Spacing: 13/4"

Steel Reinforced Bottom Rail



Cap Styles (shown in White)



Gothic





New England





Flat Internal Flat External

Flat Internal Cap not available for 6' height.

Countess Smooth



Countess Smooth




Heights: 4', 5' and 6' (5' and 6' include midrail)

Picket Style: $\%'' \times 1\frac{1}{2}''$, $\%'' \times 3''$

Picket Spacing: 25/16"

Steel Reinforced Bottom Rail

Cap Styles (shown in White)



Flat Internal Cap not available for 6' height.

Manchester Smooth



Manchester Smooth

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 3' and 4'
Picket Style: 1 ½" Square
Picket Spacing: 19/16"

Steel Reinforced Bottom Rail

Cap Styles (shown in White)











Gothic

Flat Internal

Flat External

New England

Ral

Danbury Smooth



Danbury Smooth Straight/Concave

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Pointed Picket

Picket Spacing: 215/16"

Steel Reinforced Bottom Rail

Cap Styles (shown in White)



Rothbury Smooth



Rothbury Smooth Straight/Concave

Thru-picket "good neighbor" design


Heights: 4'

Picket Style: 3" Dog Ear Picket

Picket Spacing: 215/16"

Steel Reinforced Bottom Rail

Cap Styles (shown in White)



Cape Cod Smooth



Cape Cod Smooth Straight/Concave

Heights: 3' and 4'

Picket Style: 3" Pointed Picket

Picket Spacing: 27/16"

Cap Styles



Gothic



Flat Internal



Flat External






New England

Rall

Post & Rail Smooth



2, 3, 4 Rail and Crossbuck Smooth

Bufftech's post and rail fence provides a safe, reliable enclosure for horses and other livestock. Available in smooth or TimberGrain Texture, our post and rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.

Ribbed Reinforced Rails

Rail Size (White): 11/2" x 51/2" Ribbed

Cap Styles



Available in 2 Rail, 3 Rail, 4 Rail and Crossbuck*.

Specifications & Color Availability

		Fence Type	Height	Racking	Post Size	Section Width	Picket Size	Picket Spacing	Code	Metal Rail/ Panel Reinforcement	
Privacy	Brookline Smooth	Extruded	4', 5', 6'	Stepping Recommended	5" x 5"	72"	1/8" x 7" Tongue-and-Groove	N/A	61	Bottom**	
	Galveston Smooth	Extruded	7', 8'	50 *	5" x 5"	96"	⅓" x 7" Tongue-and-Groove	N/A		Top, Middle, Bottom	
	Chesterfield Smooth	Extruded	4', 5', 6'	10° *	5" x 5"	96"	1/2" x 7" Tongue-and-Groove	N/A	6 .	Bottom**	
Semi-Private	Breezewood Smooth	Extruded	4', 5', 6'	Stepping Recommended	5" x 5"	96"	%" x 3"	¹ /∑"	6	Bottom**	
	Imperial Smooth	Extruded	4'	10°	4" x 4"	96"	%" x 3" //ь"	7/1271	6.	- Bottom**	
		Exauded	5', 6'	5°	5" x 5"	30		1"	6 .	bottom	
Contemporary	Baron Smooth	Extruded	4'	10°	4" x 4"	96"	%" x 3"	2 ¹⁵ /16"	٨	- Bottom**	
			5', 6'	5°	5" x 5"						
	Princeton Smooth	Extruded	4'	10°	4" x 4"	96"	%" x 1½"	1%"	٨	Bottom	
			5', 6'	5°	5" x 5"				٨		
	Countess Smooth	Extruded	4'	10°	4" x 4"	96"	%" x 1½" %" x 3"	2 ⁶ /16"	٨	Bottom	
			5', 6'	5°	5" x 5"				٨		
Classic	Manchester Smooth	Extruded	3', 4'	5°	5" x 5"	96"	1½" x 1½"]5/16"		Bottom	
	Danbury Smooth	Extruded	4'	5°	4" x 4"	96"	%" x 3"	2 ^в /16"		Bottom	
Traditional	Rothbury Smooth	Extruded	4'	5°	4" x 4"	96"	%" x 3"	25/16"		Bottom	
	Cape Cod Smooth	Extruded	3', 4'	15°	4" x 4"	72"	%" x 3"	2'/ъ"		None	
Post & Rail	Post & Rail Smooth	Extruded	3', 4', 5'	5°	5" x 5"	96"	N/A	N/A		None	
Post	Crossbuck Smooth	Extruded	4'	50	5" x 5"	96"	N/A	N/A		None	

^{*}Accents will reduce the amount of racking

Colors Extruded

Smooth




^{**}Reinforced top rail for Natural Clay

^{5&#}x27; and 6' fence height meet pool code

Accessories


Rails	White	Almond	Gray	Natural Clay
2" x 6" Deco x 71"	•	•		•
2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)	•	•		•
2" x 6" Deco x 95"	•	•	•	•
2" x 6" x 95"	•	•		•
1¾" x 3½" x 95½"	•	•		•
1¾" x 3½" x 95½"	•	•		•
1¾" x 3½" x 95½"	•			
1½" x 3½" x 95½"	•			
2" x 6" x 94½" (Bottom) 2" x 3½" x 95" (Top)	•			
1¾" x 3½" x 95½"	•	•		•
1¾" x 3½" x 95½"	•			
1¾" x 3½" x 71½"	•			
1½" x 5½" Ribbed or 2" x 6" Ribbed	•	•		
1½" x 5½" Ribbed	•		3	



PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.

Smooth Caps




Solar Post Caps and Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.



^{*}Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

Extruded Gates




Chesterfield Smooth Concave Gate with Victorian Accent in White



Chesterfield Smooth Convex Gate with Victorian Accent in White



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



	Pre-Assembled Gate Widths	Unassembled Gate Kit Max Width	Extension Kit Required**
Brookline	50-1/2"	70"	Yes
Galveston	50-1/2"	50-1/2"	No
ChesterfleId [†]	36-1/2" 50-1/2" 64-3/4"	70"	Yes
Chesterfield Concave Accent	50-1/2"	na	na
Chesterfield Convex Accent	50-1/2"	na	na
Breezewood	50"	60"	Yes
Imperial	50"	72"	Yes
Baron	50"	72"	Yes
Princeton	50"	72"	Yes
Countess	50"	72"	Yes
Manchester	50"	50"	No
Manchester Concave	na	50"	No
Danbury	50"	50"	No
Cape Cod	50"	60"	Yes
Rothbury	50"	50"	No
2-Rall*	na	72"	na
3-Rall*	na	96"	na
4-Rall*	na	96"	na
Crossbuck*	na	96"	na

⁺ Not all widths available in all heights/styles

All Gates are rackable, except Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.

^{**} For unassembled gate kits over 50" wide to achieve maximum width

Looking For More Options?

Barrette Outdoor Living is the undisputed leader in style, color and textured fencing products with textured molded from real wood and stone to deliver the most authentic look available today. With our exclusive TimberGrain® technology or SimTek molded process, no one comes close to Barrette Outdoor Living.





brochure for more details.











Bufftech®